






# Setup - Ranger 28

v 18.1

			
<b>Axle</b>	C 3.2	CM 1 / 2	C 3.2 / C 1
<b>Rear Hubs</b>	L. 50 (Al)	L. 45 (Mg)	L. 50 (Al)
<b>Front Hubs</b>	L. 60 (Al)	L. 76 (Mg)	L. 76 (Mg)
<b>Ackermann Col.</b>	Center	Center	Center / Low
<b>Ackermann Stub</b>	Pos. 1	Pos. 1 / 2	Pos. 1
<b>Toe</b>	0	+ 2mm	+ 4-6mm
<b>Caster / Eccentric</b>	.5 + 0	1.8+ 0	2.3 + 0
<b>Front Width</b>	104	104 - 104.5	106
<b>Rear Width</b>	112	112 - 112.5	110
<b>Wheel Set</b>	DF - 130 x 130	TSX- 130 x 130	Al - 130 x 130
<b>Ride Height (R)</b>	Center	Center / Low	Center
<b>Ride Height (F)</b>	Center	Center/Low	Center /

\*Measurements are in Metric

Its possible to loosen the lower seat bolts and even mount the lower seat in the center point only. Also, in grippy conditions try removing the center floor tray bolts for improved flex.



**J3 COMPETITION**  
**2154 NORCROSS ROAD**  
**ERIE PENNSYLVANIA USA 16510**  
**+1.814.864.1846**